

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Remove AD(hesive) 200
UFI: KQ30-X0F9-H00J-8T5H

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Sectors of use [SU]

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Industrial uses

Products Category [PC]

PC-CLN-OTH - Other cleaning, care and maintenance products (excludes biocidal products)

1.3 Details of the supplier of the safety data sheet

Supplier

Bio-Circle Surface Technology GmbH

Street : Berensweg 200

Postal code/City : 33334 Gütersloh

Telephone : +49 5241 9443 0

Telefax : +49 5241 9443 44

Information contact :

Product application: ae@bio-circle.de

Orders: www.bio-circle.de
service@bio-circle.de

Current safety data sheet: www.bio-circle.de [DE + EN]
service@bio-circle.de

Questions about the contents of the safety data sheet: ehs@bio-circle.de

1.4 Emergency telephone number

+49 5241 9443 51 during normal office hours
(Monday to Thursday from 8 am to 4 pm and Friday from 8 am to 3 pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Exclamation mark (GHS07)

Signal word

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Warning

Hazard components for labelling

ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6

Hazard statements

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P272 Contaminated work clothing should not be allowed out of the workplace.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of water/....
P273 Avoid release to the environment.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

ORANGE, SWEET, EXT. ; REACH No. : 01-2119493353-35-XXXX ; EC No. : 232-433-8; CAS No. : 8028-48-6

Weight fraction : $\geq 1 - < 2,5 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; REACH No. : 01-2119980051-45-XXXX ; EC No. : 614-482-0; CAS No. : 68439-46-3

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

2-(2-BUTOXYETHOXY)ETHANOL ; REACH No. : 01-2119475104-44-XXXX ; EC No. : 203-961-6; CAS No. : 112-34-5

Weight fraction : $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319
Substance with a common (EC) occupational exposure limit value.

Further ingredients

Part of the orange peel extract: D-LIMONENE ; REACH No. : 01-2119529223-47-XXXX ; EC No. : 227-813-5; CAS No. : 5989-27-5

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

After eye contact

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO₂) Sand Nitrogen Extinguishing blanket

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide , Carbon dioxide (CO₂) , Sulphur oxides

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. The product itself does not burn. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product. Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Keep/Store only in original container. Protect against : Frost .

Hints on joint storage

Storage class (TRGS 510) : 12

7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

8.1 Control parameters

Occupational exposure limit values

2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5

Limit value type (country of origin) : TRGS 900 (D)
Limit value : 10 ppm / 67 mg/m³
Peak limitation : 1,5(l)
Remark : Y
Version : 23.06.2022

Limit value type (country of origin) : STEL (EC)
Limit value : 15 ppm / 101,2 mg/m³
Version : 20.06.2019

Limit value type (country of origin) : TWA (EC)
Limit value : 10 ppm / 67,5 mg/m³
Version : 20.06.2019

Part of the orange peel extract - /Skin allergenic (fragrance) substance: d-Limonene ; CAS No. : 5989-27-5

Limit value type (country of origin) : TRGS 900 (D)
Limit value : 5 ppm / 28 mg/m³
Peak limitation : 4 (II)
Remark : H, Sh, Y
Version : 27.10.2020

DNEL-/PNEC-values

DNEL/DMEL

ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6

Limit value type : DNEL Consumer (local)
Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 92,9 µg/cm²
Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 7,78 mg/m³
Limit value type : DNEL Consumer (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 4,44 mg/kg bw
Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Exposure frequency : Long-term
Limit value : 4,44 mg/kg bw
Limit value type : DNEL worker (local)
Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 185,8 µg/cm²
Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 31,1 mg/m³
Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 8,89 mg/kg

2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5

Limit value type : DNEL Consumer (systemic)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Exposure route : Oral
Exposure frequency : Long-term
Limit value : 6,25 mg/kg bw/day
Limit value type : DNEL worker (local)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 67,5 mg/m³
Limit value type : DNEL worker (local)
Exposure route : Inhalation
Exposure frequency : Short-term
Limit value : 101,2 mg/m³

PNEC

ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 5,4 µg/l
Limit value type : PNEC (Aquatic, intermittent release)
Limit value : 5,77 µg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,54 µg/l
Limit value type : PNEC (Sediment, freshwater)
Limit value : 1,3 mg/kg dw
Limit value type : PNEC (Sediment, marine water)
Limit value : 0,13 mg/kg dw
Limit value type : PNEC (Soil)
Limit value : 0,261 mg/kg dw
Limit value type : PNEC (Sewage treatment plant)
Limit value : 2,1 mg/l

2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 1,1 mg/l
Limit value type : PNEC (Aquatic, intermittent release)
Limit value : 11 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,11 mg/l
Limit value type : PNEC (Sediment, freshwater)
Limit value : 4,4 mg/kg dw
Limit value type : PNEC (Sediment, marine water)
Limit value : 0,44 mg/kg dw
Limit value type : PNEC (Soil)
Limit value : 0,32 mg/kg dw
Limit value type : PNEC (Secondary poisoning)
Limit value : 56 mg/kg food

8.2 Exposure controls

Personal protection equipment

Eye/face protection



Wear suitable safety goggles in case of splash.

Suitable eye protection
EN 166.

Skin protection

Hand protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)



Suitable gloves type : EN 374.
Suitable material : NBR (Nitrile rubber)
Breakthrough time : 480 min.
Thickness of the glove material : 0.4 mm

Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Remark

Usually no personal respirative protection necessary.

General information

Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid

Colour : yellow

Odour

characteristic

Safety characteristics

Melting point/freezing point :	(1013 hPa)		not determined	
Initial boiling point and boiling range :	(1013 hPa)	approx.	100 °C	
Flash point :			not applicable	DIN EN ISO 13736
Auto-ignition temperature :	(D-LIMONENE)		237 °C	Literature value
Flammability :			non-flammable	
Lower explosion limit :	(D-LIMONENE)		0,7 Vol-%	Literature value
Upper explosion limit :	(D-LIMONENE)		6,1 Vol-%	Literature value
Vapour pressure :	(20 °C)	<	24 hPa	
Density :	(20 °C)		1,004 g/cm ³	
Water solubility :	(20 °C)		completely miscible	
pH :	(20 °C)		8,4	
Cinematic viscosity :	(20 °C)	<	30 mm ² /s	
Relative vapour density :	(20 °C)		not determined	
Maximum VOC content (EC) :			2,2 Weight-%	
Maximum VOC content (Switzerland) :			3,4 Weight-%	
Taxable VOC content (Switzerland) :			3,4 Weight-%	

9.2 Other information

No further relevant information available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No known hazardous decomposition products.
Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity

Parameter :	ATEmix
Exposure route :	Oral
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Method :	OECD 401
Parameter :	LD50 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Exposure route :	Oral
Species :	Mouse
Effective dose :	5530 mg/kg
Method :	OECD 401

Acute dermal toxicity

Parameter :	ATEmix
Exposure route :	Dermal
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 5000 mg/kg
Method :	OECD 402
Parameter :	LD50 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	2764 mg/kg
Method :	OECD 402

Acute inhalation toxicity

Parameter :	ATEmix
Exposure route :	Inhalation
Effective dose :	> 20 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Corrosion

Skin corrosion/irritation

Parameter : Skin corrosion/irritation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Result : Irritant

Assessment/classification

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Parameter : Serious eye damage/eye irritation (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Species : Rabbit
Result : Causes serious eye irritation

Assessment/classification

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Skin sensitisation

Parameter : Skin sensitisation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Mouse
Result : Sensitising.
Method : OECD 429

Assessment/classification

May cause an allergic skin reaction.

Sensitisation to the respiratory tract

No further relevant information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No further relevant information available.

Germ cell mutagenicity

No further relevant information available.

Reproductive toxicity

No further relevant information available.

STOT-single exposure

No further relevant information available.

STOT-repeated exposure

No further relevant information available.

Aspiration hazard

No further relevant information available.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Other adverse effects

Has degreasing effect on the skin.

Additional information

Preparation not tested. The statement is derived from the properties of the single components.

SECTION 12: Ecological information

Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter : NOELR (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Danio rerio (zebrafish)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 4 mg/l
Exposure time : 96 h
Method : OECD 203

Parameter : LL50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Danio rerio (zebrafish)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 5,65 mg/l
Exposure time : 96 h
Method : OECD 203

Parameter : LC50 (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 5 - 7 mg/l
Exposure time : 96 h
Method : OECD 203

Parameter : LC50 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Species : Lepomis macrochirus (Bluegill)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 1300 mg/l
Exposure time : 96 h
Method : OECD 203

Chronic (long-term) fish toxicity

Parameter : NOEC (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Pimephales promelas (fathead minnow)
Evaluation parameter : Chronic (long-term) fish toxicity
Effective dose : 0,11 - 0,28 mg/l
Exposure time : 30 D

Acute (short-term) toxicity to crustacea

Parameter : NOELR (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : 0,48 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter : EL50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : 1,1 mg/l
Exposure time : 48 h
Method : OECD 202

Parameter : EC50 (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 2,5 mg/l
Exposure time : 48 h

Parameter : EC50 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : > 100 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Exposure time : 48 h
Method : OECD 202

Chronic (long-term) toxicity to aquatic invertebrate

Parameter : NOEC (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 0,77 - 1,75 mg/l
Exposure time : 21 D

Acute (short-term) toxicity to algae and cyanobacteria

Parameter : NOELR (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Desmodesmus subspicatus
Evaluation parameter : Inhibition of growth rate
Effective dose : 50 mg/l
Exposure time : 72 h
Method : OECD 201

Parameter : EL50 (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Species : Desmodesmus subspicatus
Evaluation parameter : Inhibition of growth rate
Effective dose : 150 mg/l
Exposure time : 72 h
Method : OECD 201

Parameter : EC50 (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Pseudokirchneriella subcapitata
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 1,4 mg/l
Exposure time : 96 h

Parameter : EC50 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Species : Scenedesmus subspicatus
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria
Effective dose : > 100 mg/l
Exposure time : 48 h
Method : OECD 201

Toxicity to microorganisms

Parameter : EC50 (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity
Effective dose : > 10 g/l
Exposure time : 16,9 h
Method : DIN 38412 / part 8

Parameter : EC10 (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity
Effective dose : > 10 g/l
Exposure time : 16,9 h
Method : DIN 38412 / part 8

Parameter : EC10 (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Species : Toxicity to microorganisms
Effective dose : > 1995 mg/l
Exposure time : 30 min

12.2 Persistence and degradability

Biodegradation

Parameter : Biodegradation (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Degradation rate : >= 60 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

Test duration : 28 D
Parameter : Biodegradation (C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Degradation rate : 72 %
Test duration : 28 D
Evaluation : Readily biodegradable (according to OECD criteria).
Parameter : BOD (% of COD) (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Inoculum : Biodegradation
Evaluation parameter : Aerobic
Degradation rate : 95 %
Test duration : 28 D
Evaluation : Readily biodegradable (according to OECD criteria).
Method : OECD 301C

12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Bioconcentration factor (BCF)
Value : 261 - 395
Parameter : Log KOW (ORANGE, SWEET, EXT. ; CAS No. : 8028-48-6)
Value : 2,78 - 4,88
Parameter : Partition coefficient n-octanol/water (log value) (2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5)
Value : 1
20 °C
Method : OECD 117

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Product should not be released into water without pre-treatment (biological sewage plant).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Waste codes/waste designations according to EWC/AVV

07 06 01* (Aqueous washing liquids and mother liquors)
20 01 29* (Detergents containing hazardous substances)

Other disposal recommendations

Dispose of waste according to applicable legislation. Dispose of contents/container to an appropriate recycling or disposal facility. Contaminated packages must be completely emptied and can be re-used following proper cleaning (Water (with cleaning agent)). Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

industry and process.

SECTION 14: Transport information

- 14.1 UN number or ID number**
No dangerous good in sense of these transport regulations.
- 14.2 UN proper shipping name**
No dangerous good in sense of these transport regulations.
- 14.3 Transport hazard class(es)**
No dangerous good in sense of these transport regulations.
- 14.4 Packing group**
No dangerous good in sense of these transport regulations.
- 14.5 Environmental hazards**
No dangerous good in sense of these transport regulations.
- 14.6 Special precautions for user**
None
- 14.7 Maritime transport in bulk according to IMO instruments**
not relevant

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- EU legislation**
- Authorisations and/or restrictions on use**
- Restrictions on use**
Use restriction according to REACH annex XVII, no. : 3, 55, 75
- Restrictions of occupation**
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
- Other regulations (EU)**
- Labelling for contents according to regulation (EC) No. 648/2004**
5 - 15 % non-ionic surfactants
< 5 % anionic surfactants
< 5 % aliphatic hydrocarbons
Contains the following substances: Limonene
- National regulations**
- Technische Anleitung zur Reinhaltung der Luft (TA-Luft)**
Weight fraction (Number 5.2.5. I) : < 5 %
- Water hazard class**
Classification according to AwSV - Class : 2 (Obviously hazardous to water)
- 15.2 Chemical Safety Assessment**
For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

- 16.1 Indication of changes**
01. Relevant identified uses of the substance or mixture and uses advised against · 03. Hazardous ingredients · 08. DNEL-/PNEC-values · 11. Toxicological information · 12. Ecological information · 15. Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)
AOX: adsorbierbare organisch gebundene Halogene
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)
CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)
EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung
ECHA: Europäische Chemikalienagentur (European Chemicals Agency)
EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)
GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)
IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)
ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)
IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)
RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)
TRGS: Technische Regel für den Umgang mit Gefahrstoffen
VbF: Verordnung über brennbare Flüssigkeiten
VOC: flüchtige organische Verbindung (volatile organic compound)
VVEA: Verordnung über die Vermeidung und die Entsorgung von Abfällen
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank
ECHA: Classification And Labelling Inventory
ECHA: Pre-registered Substances
ECHA: Registered Substances
EC_Safety Data Sheet of Suppliers
ESIS: European Chemical Substances Information System
GDL: Gefahrstoffdatenbank der Länder
UBA Rigoletto: Wassergefährdende Stoffe
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council
|-> COMMISSION REGULATION (EU) 2020/878 of 18 June 2020
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
Evaluation :
Skin Sens. 1 : Calculation method.
Aquatic Chronic 3 : Calculation method.

16.5 Relevant H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Remove AD(hesive) 200
Revision date : 12.02.2026
Print date : 12.02.2026

Version (Revision) : 4.1.0 (4.0.1)

knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
