Technical Datasheet

BIQ-CIRCLE®
MAKING GREEN WORK.

Trade name :	PROLAQ L 50
Reviewed :	15.02.2023
Date of print :	30.06.2023

Not res

1 von 1

Description

PROLAQ L 50 is used for cleaning paint application and processing tools such as paint spray guns, pumps, filters, brushes, lines, stencils, etc. The water based, pH-neutral medium powerfully removes non cured, water based lacquers and paints. PROLAQ L 50 is particularly suitable for cleaning water based paints. A longer lifetime and optimum effect is achieved in combination with the PROLAQ Compact and PROLAQ Auto cleaning systems. These are compressed air driven recirculation systems, so that the cleaner can be used several times.

Application

PROLAQ L 50 is ready for use and can be applied directly.

Wet, flood, dip. Allow to react if necessary. Clean with the PROLAQ Compact flow through brush. Rinse off, wipe away - done. Alternatively, use the automatic cleaning chamber of PROLAQ Auto.

Concentration recommendations (in volume %):

PROLAQ	100	PROLAQ	100
Compact		Auto	

Compatibility with common materials:

Steel / stainless steel	Aluminium	Non-ferrous metals	
Plastics	Painted surfaces	Galvanized surfaces	

For sensitive materials, please test the product on a sample piece or an inconspicuous area before use. If you are unsure, we will be happy to advise you.

For further information on labeling, handling and disposal of the product, please refer to the safety data sheet.

Caption :

Environmental aspects

Resistant

PROLAQ L 50 is not a hazardous substance and contains only a small amount of VOC (2.5%). Its active ingredients are 50% biodegradable.

Conditionally resistant

By deliberately avoiding conventional highly flammable solvents, the PROLAQ system makes a significant contribution to environmental protection and workplace safety.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Not classified according to CLP regulation

Transport information

No dangerous goods according to the transport guidelines

Water hazard class (Classification according to AwsV)

Water hazard class : 1 (Slightly hazardous to water)

Ordering information

A50060	Hand spray bottle 500 ml		
A50060-BX	PROLAQ L 50 Box		
A02060	Jerrycan 20 I		
A20060	Drum 200 I		
A10030	IBC 1000 I		